

Application No. 10/748,649  
Response dated February 23, 2007  
Reply to Office Action of December 15, 2006

**Listing of Pending Claims:**

A listing of pending claims is provided for the Examiner's convenience. No claim amendments are being made at this time.

**Listing of Claims:**

1. (Previously presented) A product comprising:
  - a single ply web comprising cellulosic fibers having a first and a second opposing sides;
  - a chemical additive having a viscosity between about 1,000 cps to about 50,000 cps applied to either the first or second opposing side;
  - the single ply web wound into a roll;
  - the roll having a roll bulk about 10 cc/g or greater; and
  - the first or second opposing side with the applied chemical additive having a Fuzz-On-Edge about 1.8 mm/mm or greater.
2. (Withdrawn/Previously presented) A product comprising:
  - an uncreped throughdried single ply tissue web comprising cellulosic fibers having a first and a second opposing sides;
  - a chemical additive having a viscosity between about 1,000 cps to about 50,000 cps applied to either the first or second opposing side;
  - the tissue web wound into a roll;
  - the roll having a roll bulk about 10 cc/g or greater; and
  - the first or second opposing side with the applied chemical additive having a Fuzz-On-Edge about 2.0 mm/mm or greater.
3. (Original) The product of claim 1 or 2 wherein the roll bulk is about 11 cc/g or greater.

Application No. 10/748,649  
Response dated February 23, 2007  
Reply to Office Action of December 15, 2006

4. (Original) The product of claim 1 or 2 wherein the roll bulk is between about 10 cc/g to about 16 cc/g.
5. (Original) The product of claim 1 or 2 wherein the roll bulk is between about 11 cc/g to about 16 cc/g.
6. (Original) The product of claim 1 or 2 wherein the Fuzz-On Edge is about 2.4 mm/mm or greater.
7. (Original) The product of claim 1 or 2 wherein the Fuzz-On Edge is about 2.8 mm/mm or greater.
8. (Original) The product of claim 1 or 2 wherein the Fuzz-On Edge is between about 2.0 mm/mm to about 3.0 mm/mm.
9. (Original) The product of claim 1 or 2 wherein the web comprises a bath tissue web.
10. (Original) The product of claim 1 or 2 wherein the chemical additive is applied to both the first and the second opposing sides.
11. (Original) The product of claim 5 wherein the Fuzz-On Edge is between about 2.0 mm/mm to about 3.0 mm/mm.
12. (Original) The product of claim 5 wherein the Fuzz-On Edge is between about 2.2 mm/mm to about 2.9 mm/mm.
13. (Original) The product of claim 1 or 2 wherein the chemical additive comprises polysiloxane.
14. (Original) The product of claim 1 or 2 wherein the Kershaw firmness is between about 12 mm to about 0 mm.
15. (Original) The product of claim 1 or 2 wherein the CD Kawabata Bending Stiffness is about 0.06 or less.

Application No. 10/748,649  
Response dated February 23, 2007  
Reply to Office Action of December 15, 2006

16. (Original) The product of claim 11 wherein the CD Kawabata Bending Stiffness is about 0.04 or less.
17. (Original) The product of claim 1, 2, 5, 10, 11, 13, 14, 15, or 16 wherein the first or second opposing side with the applied chemical contains a plurality of fuzzy fibers generated by a shear calendering device and the chemical additive is applied as a plurality of chemical filaments.
18. - 21. (Canceled)
22. (Previously presented) The product of claim 1 or 2 wherein the chemical additive has a viscosity of between about 1,500 cps to about 10,000 cps.
23. (Previously presented) The product of claim 1 or 2 wherein the chemical additive on the first or second opposing side comprises a plurality of filaments forming a network.